

# RAPPAPORT-VASSILIADIS (MSRV) MEDIUM

A semi-solid selective medium for the detection of motile *Salmonella* spp. according to ISO 6579.

<b>Dehydrated media</b>	
Code number:	500 g: MSR20500, 5 kg: MSR25000
Packaging of 500 g:	500 g medium base + 1 litre MgCl <sub>2</sub> solution
Packaging of 5 kg:	5 kg medium base + 10 x 1 litre MgCl <sub>2</sub> solution
Appearance of medium base:	Beige, homogeneous hygroscopic powder
Appearance of supplement:	Water-clear, precipitation free solution
pH before autoclaving (25 °C):	5,0 – 5,4

**Direction:** Suspend **10 g medium base** in 480 ml of distilled water. Add **20 ml of DIASALM-MSRV Magnesium Chloride Solution** and heat with frequent agitation until the medium boils well. Cool to 50 – 60 °C and pour into sterile Petri-dishes.

## Warning!

The medium is heat sensitive.  
No further sterilisation is necessary or desirable.

<b>Prepared media</b>	
Bottled media:	100 ml: MSR30100, 500 ml: MSR30500
Colour:	Greenish
pH (25 °C):	5,1 – 5,3

**Direction:** Dispense the melted bottled media aseptically into sterile Petri-dishes.

## FORMULA OF COMPLETE MEDIUM in g/l

Meat peptone	4,578
Casein acid hydrolisate	4,578
Sodium chloride	7,325
Magnesium chloride x 6 H <sub>2</sub> O	29,300
Malachite green oxalate salt	0,037
Novobiocin	0,010
Potassium phosphate, monobasic	1,465
Agar	2,747

**Note:** The typical formula can be adjusted to obtain optimal performance.

**Storage conditions:** Store the dehydrated media tightly closed in a dry place at room temperature. Store the bottled media and the supplement protected from light at room temperature. Use before the expiry date on the label.

## Quality control:

<b>Test strains</b>	Incubation temp: 37 °C	<b>Growth</b>	Incubation time: 24 h
<i>Salmonella typhimurium</i> ATCC 14028		Good, motile zone	
<i>Pseudomonas aeruginosa</i> ATCC 27853		Inhibited	

**References:** De Smedt et al. (1986) J. Food Prot. 48: 510.  
ISO 6579-1:2017

**In vitro diagnostic – for professional use only!**